Hierarchy of Transportation Network Parameters and Hardness Results

Johannes Blum 💿

University of Konstanz, Germany johannes.blum@uni-konstanz.de

— Abstract -

The graph parameters highway dimension and skeleton dimension were introduced to capture the properties of transportation networks. As many important optimization problems like TRAVELLING SALESPERSON, STEINER TREE or k-CENTER arise in such networks, it is worthwhile to study them on graphs of bounded highway or skeleton dimension.

We investigate the relationships between mentioned parameters and how they are related to other important graph parameters that have been applied successfully to various optimization problems. We show that the skeleton dimension is incomparable to any of the parameters distance to linear forest, bandwidth, treewidth and highway dimension and hence, it is worthwhile to study mentioned problems also on graphs of bounded skeleton dimension. Moreover, we prove that the skeleton dimension is upper bounded by the max leaf number and that for any graph on at least three vertices there are edge weights such that both parameters are equal.

Then we show that computing the highway dimension according to most recent definition is NP-hard, which answers an open question stated by Feldmann et al. [18]. Finally we prove that on graphs G = (V, E) of skeleton dimension $\mathcal{O}(\log^2 |V|)$ it is NP-hard to approximate the k-CENTER problem within a factor less than 2.

2012 ACM Subject Classification Mathematics of computing \rightarrow Graph theory; Theory of computation \rightarrow Problems, reductions and completeness; Theory of computation \rightarrow Parameterized complexity and exact algorithms

Keywords and phrases Graph Parameters, Skeleton Dimension, Highway Dimension, k-Center

Digital Object Identifier 10.4230/LIPIcs.IPEC.2019.4

Related Version A full version of the paper is available at https://arxiv.org/abs/1905.11166.

1 Introduction

Many important optimization problems arise in the context of road or flight networks, e.g. TRAVELLING SALESPERSON or STEINER TREE, and have applications in domains like route planning or logistics. Therefore, several approaches have been developed that try to exploit the special structure of such transportation networks. Examples are the graph parameters highway dimension and skeleton dimension. Intuitively, a graph has low highway dimension hd or skeleton dimension κ , if there is only a limited number of options to leave a certain region of the network on a shortest path. Both parameters were originally used in the analysis of shortest path algorithms and it was shown that if hd or κ are small, there are preprocessing-based techniques to compute shortest paths significantly faster than the algorithm of Dijkstra [3, 2, 1, 24].

The highway dimension was also investigated in the context of NP-hard optimization problems, such as TRAVELLING SALESPERSON (TSP), STEINER TREE and FACILITY LO-CATION [18], k-CENTER [17, 20, 10] or k-MEDIAN and BOUNDED-CAPACITY VEHICLE ROUTING [10]. It was shown that in many cases, graphs of low highway dimensions allow better algorithms than general graphs. To our knowledge, the skeleton dimension has exclusively been studied in the context of shortest path algorithms so far. However, it was shown that real-world road networks exhibit a skeleton dimension that is clearly smaller than the



BY licensed under Creative Commons License CC-BY

14th International Symposium on Parameterized and Exact Computation (IPEC 2019).

Editors: Bart M. P. Jansen and Jan Arne Telle; Article No. 4; pp. 4:1–4:15 Leibniz International Proceedings in Informatics



4:2 Hierarchy of Transportation Network Parameters and Hardness Results

highway dimension [11]. Moreover, in contrast to the highway dimension, it can be computed in polynomial time. Hence it is natural to study the aforementioned problems on networks of low skeleton dimension.

Further graph classes that have been used to model transportation networks are for instance planar graphs and graphs of low treedwidth or doubling dimension. Moreover, many important optimization problems have been studied extensively for classic graph parameters like treewidth or pathwidth [12, 4]. Still, there are only partial results on how the highway dimension hd and skeleton dimension κ are related to these parameters. This is the starting point of the present paper. A better understanding of the relationships between hd, κ and different well-studied graph parameters will allow a deeper insight in the structure of transportation networks and might enable further algorithms custom-tailored for such networks.

1.1 Related Work

We now briefly sum up some algorithmic results in the context of optimization problems in transportation networks. Arora [5] developed a general framework that enables PTASs for several geometric problems where the network is embedded in the Euclidean plane. Building upon the work of Arora, Talwar [27] developed QPTASs for TSP, STEINER TREE, k-MEDIAN and FACILITY LOCATION on graphs of low *doubling dimension* (for a formal definition, see Definition 2). This was improved by Bartal et al. [6], who obtained a PTAS for TSP. As the skeleton dimension of a graph upper bounds its doubling dimension (cf. Section 2.1) the aforementioned results immediately imply a PTAS for TSP and QPTASs for STEINER TREE, k-MEDIAN and FACILITY LOCATION.

The k-CENTER problem is NP-complete on general graphs [28] and has been subject to extensive research. In fact, for any $\epsilon > 0$, it is NP-hard to compute a $(2-\epsilon)$ -approximation, even when considering only planar graphs [25], geometric graphs using L_1 or L_{∞} distances or graphs of highway dimension $\mathcal{O}(\log^2 |V|)$ [17]. However, there is a fairly simple 2-approximation algorithm for general graphs by Hochbaum and Shmoys [22].

One way to approximate k-CENTER better than by a factor of 2 is the use of so called fixed-parameter approximation algorithms (FPAs). The basic idea is to combine the concepts of fixed-parameter algorithms and approximation algorithms. Formally, for $\alpha > 1$, an α -FPA for a parameter p is an algorithm that computes an α -approximation in time $f(p) \cdot n^{\mathcal{O}(1)}$ where f is a computable function. Feldmann [17] showed there is a $^{3}/_{2}$ -FPA for k-CENTER when parameterizing both by the number of center nodes k and the highway dimension hd. Later, Becker et al. [10] showed that for any $\epsilon > 0$ there is a $(1 + \epsilon)$ -FPA for k-Center when parameterizing by k and hd, using a slightly different definition for the highway dimension as in [17] (see also Section 2.2). Moreover, on graphs of doubling dimension d, it is possible to compute a $(1 + \epsilon)$ -approximation in time $(k^k/\epsilon^{\mathcal{O}(k \cdot d)}) \cdot n^{\mathcal{O}(1)}$ [20]. As the doubling dimension is a lower bound for the skeleton dimension κ , this implies a $(1 + \epsilon)$ -FPA for parameter (ϵ, k, κ) . However, computing a $(2 - \epsilon)$ -approximation is W[2]-hard when parameterizing only by k, and unless the exponential time hypothesis (ETH) fails, it is not possible to compute a $(2 - \epsilon)$ -approximation in time $2^{2^{o(\sqrt{hd}}} \cdot n^{\mathcal{O}(1)}$ for highway dimension hd [17].

1.2 Contributions and Outline

We first give an overview of various graph parameters, in particular we review several slightly different definitions of the highway dimension that can be found in the literature. Then we show relationships between skeleton dimension, highway dimension and other important parameters. Our results include the following.

- The max leaf number ml is a tight upper bound for the bandwidth bw. This improves a result of Sorge et al. who showed that $bw \leq 2ml$ [26].
- The skeleton dimension is incomparable to any of the parameters distance to linear forest, bandwidth, treewidth and highway dimension (when using the definitions from [3] or [2]).
- The skeleton dimension κ is upper bounded by the max leaf number. Moreover, for any graph on at least 3 vertices there are edge weights for which both parameters are equal. As the max leaf number is an upper bound for the pathwidth pw, it follows that $\kappa \geq pw$. This improves a result of Blum and Storandt, who showed that one can choose edge weights for any graph such that the skeleton dimension is at least $(pw 1)/(\log_2 |V| + 2)$ [11].

The resulting parameter hierarchy is illustrated in Figure 1. In the second part of the paper we show hardness for two problems in transportation networks.

- We show that computing the highway dimension is NP-hard when using the most recent definition from [1]. This answers an open question stated in [18], where NP-hardness was only shown for the definitions used in [3] and [2].
- We study the k-CENTER problem in graphs of low skeleton dimension. We extend a result from [17] and show how graphs of low doubling dimension can be embedded into graphs of low skeleton dimension. It follows that for any $\epsilon > 0$ it is NP-hard to compute a (2ϵ) -approximation on graphs of skeleton dimension $\mathcal{O}(\log^2 |V|)$.

2 Preliminaries

We consider undirected graphs G = (V, E) and denote the number of nodes and edges by n and m, respectively. Let Δ be the maximum degree of G. For weighted graphs, let $\ell \colon E \to \mathbb{Q}^+$ be the cost function. For nodes $u, v \in V$, let $\operatorname{dist}_G(u, v)$ (or simply $\operatorname{dist}(u, v)$) be length of the shortest path from u to v in G. A weighted graph G = (V, E) is metric if $(V, \operatorname{dist}_G)$ is a metric, i.e. its edge weights satisfy the triangle inequality, that is for all nodes $u, v, w \in V$ we have $\operatorname{dist}(u, w) \leq \operatorname{dist}(u, v) + \operatorname{dist}(v, w)$. We assume that the shortest path between any two nodes of G is unique, which can be achieved e.g. by slightly perturbing the edge weights. For $u \in V$ and $r \in \mathbb{R}$, we define the ball around the node u of radius r as $B_r(u) = \{v \in V \mid \operatorname{dist}(u, v) \leq r\}$. The length of a path π is denoted by $|\pi|$.

2.1 Skeleton Dimension and Doubling Dimension

The skeleton dimension was introduced by Kosowski and Viennot to analyze the performance of hub labels, a route planning technique used for road networks [24]. To define it formally, we first need to introduce the geometric realization $\tilde{G} = (\tilde{V}, \tilde{E})$ of a graph G = (V, E) with edge weights ℓ . Intuitively, \tilde{G} is a continuous version of G, where every edge is subdivided into infinitely many infinitely short edges. This means that $V \subseteq \tilde{V}$, for all $u, v \in V$ we have $\operatorname{dist}_{\tilde{G}}(u, v) = \operatorname{dist}_{G}(u, v)$ and for every edge $\{u, v\}$ of G and every $0 \leq \alpha \leq \ell(\{u, v\})$ there is a node $w \in \tilde{V}$ satisfying $\operatorname{dist}(u, w) = \alpha$ and $\operatorname{dist}(w, v) = \ell(\{u, v\}) - \alpha$.

For a node $s \in V$ let T_s be the shortest path tree of s and let \tilde{T}_s be its geometric realization. Recall that shortest paths are unique, and hence the same holds for T_s and \tilde{T}_s . The skeleton T_s^* is defined as the subtree of \tilde{T}_s induced by the nodes $v \in \tilde{V}$ that have a descendant w in \tilde{T}_s satisfying $\operatorname{dist}(v, w) \geq 1/2 \cdot \operatorname{dist}(s, v)$. Intuitively, we obtain T_s^* by taking every shortest path with source s, cutting off the last third of the path and taking the union of the truncated paths. For a radius $r \in \mathbb{R}$ let Cut_s^r be the set of all nodes u in T_s^* satisfying $\operatorname{dist}(s, u) = r$.

▶ **Definition 1** (Skeleton Dimension). The skeleton dimension κ of a graph G is $\max_{s,r} |\operatorname{Cut}_s^r|$.

4:4 Hierarchy of Transportation Network Parameters and Hardness Results



(a) Relationships between general graph parameters.



(b) Relationships between maximum degree Δ , doubling dimension ddim, skeleton dimension κ and different highway dimensions.

Figure 1 Relationships between graph parameters. New results are highlighted in green. Solid lines denote strict bounds (e.g. treewidth \leq pathwidth), dashed lines denote general bounds (e.g. pathwidth \leq distance to linear forest + 1). Dotted lines denote incomparabilities.

Intuitively, a graph has low skeleton dimension, if for any starting node s there are only a few main roads that contain the major central part of ever shortest path originating from s. Clearly, the skeleton dimension can be computed in polynomial time by computing the shortest path tree and its skeleton for every node $s \in V$ and determining Cut_s^r for every radius $r \in \mathbb{R}$. On large networks, a naïve implementation is still impracticable, but in [11] it was shown that it is possible to compute κ even for networks with millions of vertices.

Related to the skeleton dimension is the doubling dimension, which was introduced as a generalization of several kinds of metrics, e.g. Euclidean or Manhattan metrics.

▶ Definition 2 (Doubling Dimension). A graph G is d-doubling, if for any radius r, any ball of radius r is contained in the union of d balls of radius r/2. If d is the smallest such integer, the doubling dimension of G is $\log_2 d$.

Computing the doubling dimension is NP-hard [21]. Kosowski and Viennot showed that a graph with skeleton dimension κ is $(2\kappa + 1)$ doubling [24].

2.2 Highway Dimension

The highway dimension was introduced by Abraham et al., motivated by the observation of Bast et al. that in road networks, all shortest paths leaving a certain region pass through one of a small number of nodes [7, 8]. In the literature, several slightly different definitions of the highway dimension can be found. The first one was given in [3].

▶ **Definition 3** (Highway Dimension 1). The highway dimension of a graph G is the smallest integer hd_1 such that for any radius r and any node u there is a hitting set $S \subseteq B_{4r}(u)$ of size hd_1 for the set of all shortest paths π satisfying $|\pi| > r$ and $\pi \subseteq B_{4r}(u)$.

In [19, 20], a generalized version of hd_1 was used, where balls of radius $c \cdot r$ for $c \geq 4$ were considered. It was observed that the highway dimension is highly sensitive to the chosen radius, i.e. there are graphs of highway dimension 1 w.r.t. radius c and highway dimension of $\Omega(n)$ w.r.t. radius c' > c.

In [2] the highway dimension was defined as follows.

▶ **Definition 4** (Highway Dimension 2). The highway dimension of a graph G is the smallest integer hd_2 such that for any radius r and any node u there is a hitting set $S \subseteq V$ of size hd_2 for the set of all shortest paths π satisfying $2r \ge |\pi| > r$ that intersect $B_{2r}(u)$.

The definition of hd_1 requires to hit all shortest paths contained in the ball of radius 4r, while for hd_2 only the shortest paths intersecting the ball of radius 2r need to be hit. Hence, we have $hd_2 \leq hd_1$. Abraham et al. motivate their new definition with the fact that a smaller highway dimension can be achieved on real-world instances, while previous results still hold [2]. Both previously defined highway dimensions are incomparable to the maximum degree and the doubling dimension [3].

In [1], a continuous version of the highway dimension hd_2 was introduced, which is based on the geometric realization. For the definition, assume w.l.o.g. that $\ell(e) \ge 1$ for all edges $e \in E$.

▶ Definition 5 (Continuous Highway Dimension). The continuous highway dimension of a graph G is the smallest integer \widetilde{hd}_2 such that for any radius $r \ge 1$ and any node $u \in \widetilde{V}$ of the geometric realization \widetilde{G} there is a hitting set $S \subseteq V$ of size \widetilde{hd}_2 for the set of all shortest paths π satisfying $2r \ge |\pi| > r$ that intersect $B_{2r}(u)$.

4:6 Hierarchy of Transportation Network Parameters and Hardness Results

Clearly, we have $hd_2 \leq hd_2$. In [24] it was observed that hd_2 is upper bounded by $(\Delta + 1)hd_2$. Along the lines of Definition 3, we can also introduce the continuous version hd_1 of hd_1 . It holds that $hd_1 \leq hd_1 \leq (\Delta + 1)hd_1$ and moreover $hd_2 \leq hd_1$. In [1], yet another definition of the highway dimension was given. It is based on the notion of r-significant shortest paths.

▶ Definition 6 (*r*-significant shortest path). For $r \in \mathbb{R}$, a shortest path $\pi = v_1 \dots v_k$ is *r*-significant iff it has an *r*-witness path π' , which means that π' is a shortest path satisfying $|\pi'| > r$ and one of the following conditions hold: (i) $\pi' = \pi$, or (ii) $\pi' = v_0 \pi$, or $\pi' = \pi v_{k+1}$, or (iv) $\pi' = v_0 \pi v_{k+1}$ for nodes $v_0, v_{k+1} \in V$.

In other words, π is *r*-significant, if by adding at most one vertex to every end we can obtain a shortest path π' of length more than *r* (the *r*-witness). For $r, d \in \mathbb{R}$, a shortest path π is (r, d)-close to a vertex *v*, if there is an *r*-witness path π' of π that intersects the ball $B_d(v)$.

▶ Definition 7 (Highway Dimension 3). The highway dimension of a graph G is the smallest integer hd_3 such that for any radius r and any node u there is a hitting set $S \subseteq V$ of size hd_3 for the set of all shortest paths π that are (r, 2r)-close to u.

The advantage of the latest definition is that it also captures continuous graphs. In particular, it was shown that $hd_3 \leq hd_2 \leq 2hd_3$ [1]. Hence there is no need for a continuous version of hd_3 , apart from the fact that there is no meaningful notion of an *r*-witness in a continuous graph.

It can be easily seen that $hd_2 \leq hd_3$ as every shortest path π that is longer than r and intersects $B_{2r}(u)$ is also (r, 2r)-close to u (using π itself as the r-witness). Moreover, the skeleton dimension κ is a lower bound for hd_3 , i.e. $\kappa \leq hd_3$ [24]. Feldmann et al. showed that $hd_1 \leq hd_3(hd_3 + 1)$ [18]. Combining their proof with [1] yields that $hd_1 \leq 2hd_3(hd_3 + 1)$.

Computing the highway dimensions hd_1 and hd_2 is NP-hard [18]. In Section 4.1 we show that this also holds for hd_3 , which answers an open question stated in [18].

2.3 Classic graph parameters

We now provide an overview of several classic graph parameters. They are all defined on unweighted graphs, but we can also apply them to weighted graphs, simply neglecting edge weights. We start with introducing the treewidth and the related parameters pathwidth and bandwidth.

▶ **Definition 8** (Treewidth). A tree decomposition of a graph G = (V, E) is a tree $T = (\mathcal{X}, \mathcal{E})$ where every node (also called bag) $X \in \mathcal{X}$ is a subset of V and the following properties are satisfied: (i) $\bigcup_{X \in \mathcal{X}} X = V$, (ii) for every edge $\{u, v\} \in E$ there is a bag $X \in \mathcal{X}$ containing both u and v, and (iii) for every $u \in V$, the set of all bags containing u induce a connected subtree of T. The width of a tree decomposition $T = (\mathcal{X}, \mathcal{E})$ is the size of the largest bag minus one, i.e. $\max_{X \in \mathcal{X}} (|X| - 1)$. The treewidth tw of a graph G = (V, E) is defined as the minimum width of all tree decompositions of G.

▶ **Definition 9** (Pathwidth). A path decomposition of a graph G is a tree decomposition of G that is a path. The pathwidth pw of G is the minimum width of all path decompositions of G.

It follows directly from the definitions, that the pathwidth is an upper bound for the treewidth and one can show that the minimum degree is a lower bound for the treewidth [26]. The maximum degree Δ is incomparable to both treewidth and pathwidth, as for a square grid graph we have $\Delta = 4$ and $tw \in \Omega(\sqrt{n})$ whereas for a star graph we obtain $\Delta \in \Omega(n)$ and pw = 1.

▶ **Definition 10** (Bandwidth). A vertex labeling of a graph G = (V, E) is a bijection $f: V \rightarrow \{1, ..., n\}$. The bandwidth of G is the minimum of $\max\{|f(u) - f(v)|: \{u, v\} \in E\}$, taken over all vertex labelings f of G.

It was shown that the bandwidth bw is a tight upper bound for the pathwidth [23], and that $\Delta \leq 2 \cdot bw$ [26].

▶ Definition 11 (Max Leaf Number). The max leaf number ml of a graph G is the maximum number of leaves of all spanning trees of G.

▶ Definition 12 (Distance to Linear Forest). The distance to linear forest (also known as distance to union of paths) of a graph G = (V, E) is the size of the smallest set $S \subseteq V$ that separates G into a set of disjoint paths.

▶ Definition 13 (*h*-Index). The *h*-index of a graph G = (V, E) is the largest integer *h* such that *G* has *h* vertices of degree at least *h*.

The max leaf number is closely related to the notion of a connected dominating set. It is an upper bound for several graph parameters. It was shown that for the max leaf number ml and the distance to linear forest dl we have $dl \leq ml - 1$ [15]. We will show that it also upper bounds the bandwidth and the skeleton dimension. For distance to linear forest dl and pathwidth pw it is known that $pw \leq dl + 1$ [13]. Clearly, the *h*-index is a lower bound for the maximum degree. It was shown that the *h*-index is incomparable to the treewidth [26].

3 Parameter Relationships

In this section we show relationships between skeleton dimension, highway dimension and other graph parameters. We will see that the max leaf number is an upper bound for the skeleton dimension and the bandwidth, whereas many of the remaining parameters are pairwise incomparable. This shows that they are all useful and worth studying.

3.1 Upper Bounds

We first relate the max leaf number to the skeleton dimension and the bandwidth. We will use the fact, that every tree has as least as many leaves as any subtree.

▶ Observation 14. Let T' be a subtree of a tree T and let L and L' be the leaves of T and T', respectively. Then we have $|L'| \leq |L|$.

This allows to show that the max leaf number is an upper bound for the skeleton dimension.

▶ **Theorem 15.** For the skeleton dimension κ and the max leaf number ml we have $\kappa \leq ml$. For any unweighted undirected graph on $n \geq 3$ nodes there are metric edge weights such that $\kappa = ml$.

Proof. Let G = (V, E) be a graph. Consider the skeleton T_s^* of some node $s \in V$ that has a cut C of size κ . As for any two distinct nodes $u, v \in C$ the lowest common ancestor in T_s^* is distinct from u and v, T_s^* has at least κ leaves. The skeleton T_s^* is a subtree of the shortest path tree T_s of s, so Observation 14 implies that T_s has at least κ leaves. As T_s is a spanning tree of G it follows that $\kappa \leq ml$.

4:8 Hierarchy of Transportation Network Parameters and Hardness Results

To show that the bound is tight, consider a spanning tree $T = (V, E_T)$ of an unweighted graph G = (V, E) with ml leaves. We choose edge weights ℓ such that the skeleton dimension of the resulting weighted graph equals ml. Let

$$\ell(\{u,v\}) = \begin{cases} 2 & \text{if } \{u,v\} \in E_T \text{ and } u \text{ or } v \text{ is a leaf of } T \\ \frac{1}{n} & \text{if } \{u,v\} \in E_T \text{ and neither } u \text{ nor } v \text{ is a leaf of } T \\ 5 & \text{else} \end{cases}$$

To examine the skeleton dimension of the resulting graph, consider an internal node s of T. Such a node exists if n > 2. We observe that the shortest path tree T_s of s is equal to T as for any vertex v we have dist(s, v) < 3, and hence no edge $e \in E \setminus E_T$ can be contained in T_s . Moreover, for any leaf v we have dist $(s, v) \ge 2$ and for any internal node v we have dist(s, v) < 1. Consider now the skeleton T_s^* . Any leaf of T_s^* has distance at least $\frac{2}{3} \cdot 2 > 1$ from s. As T_s^* has ml leaves, the cut of T_s^* at radius $\frac{4}{3}$ has size ml.

Note that in general, the resulting graph is not metric. To fix this, let $\operatorname{dist}_T(u, v)$ be the shortest path distance from u to v when applying the previously chosen edge weights. For $\{u, v\} \in E_T$ we define ℓ as previously, but for $\{u, v\} \notin E_T$ choose $\ell(u, v) = \operatorname{dist}_T(u, v) - \epsilon$ where for every edge, ϵ is chosen from $(0, 1/n^2)$ such that shortest paths are unique. Consider an internal node s of T. The shortest path tree T_s of s may now differ from T, but the number of leaves of T_s is still ml. For any leaf v of T we have now $\operatorname{dist}(s, v) > 2 - n/n^2 \ge 3/2$ and for any internal node v we have $\operatorname{dist}(s, v) < 1$. Hence, the cut of T_s^* at radius 1 has size ml.

As the max leaf number ml is an upper bound for the pathwidth pw, it follows that for any graph G on $n \ge 3$ nodes there are edge weights such that $\kappa \ge pw$. This improves a result of Blum and Storandt, who showed that there are edge weights such that $\kappa \ge (pw-1)/(\log_2 n+2)$ [11].

Sorge et al. showed that the bandwidth can be upper bounded by two times the max leaf number [26]. We slightly modify their proof to remove the factor of 2 and show that the resulting bound is tight.

▶ Lemma 16. For the max leaf number ml and the bandwidth bw we have $bw \leq ml$. This bound is tight.

Proof. Let T be a BFS tree of a graph G = (V, E) and let $f: V \to \{1, \ldots, n\}$ be a vertex labeling that assigns to every node the time of its BFS discovery. W.l.o.g. we assume that $f(v_i) = i$. Choose an edge $\{v_i, v_j\} \in E$ maximizing $f(v_j) - f(v_i)$. It follows that $bw \leq f(v_j) - f(v_i) = j - i$.

Observe that in the BFS tree T, the node v_i is the parent of v_j as by the choice of $\{v_i, v_j\}$ there is no k < i such that $\{v_k, v_j\} \in E$. Consider the subtree T' of T induced by the nodes $\{v_1, \ldots, v_j\}$. As v_i is the parent of v_j and nodes are ordered by their discovery time, it follows that v_{i+1}, \ldots, v_j are leaves of T'. Observation 14 implies T has at least (j - i) leaves.

Tightness follows from the complete graph K_n where bw = ml = n - 1.

3.2 Incomparabilities

We now show incomparabilities between several parameters, which means that they are all worth studying. In [26] it was proven that the treewidth is incomparable to the h-index. We observe that the same holds for the pathwidth.

▶ **Theorem 17.** *The pathwidth and h-index are incomparable.*

Proof. The $\sqrt{n} \times \sqrt{n}$ grid graph has pathwidth \sqrt{n} and *h*-index at most 4. The caterpillar tree with *d* backbone vertices of degree *d* has pathwidth 1 and *h*-index *d*.

We proceed with relating the highway dimensions hd_1 and hd_2 to the treewidth and pathwidth. In [19] it was observed that graphs of low highway dimension hd_1 do not have bounded treewidth, as the complete graph on vertex set $\{1, \ldots, n\}$ with edge weights $\ell(\{i, j\}) = 4^{\max(i,j)}$ has highway dimension $hd_1 = 1$ and treewidth n - 1.¹ The complete graph K_n has indeed a minimum degree of n - 1, which is a lower bound for the treewidth. On the other hand, there are graphs of constant bandwidth and a linear highway dimension hd_2 . For instance, consider a complete caterpillar tree on b backbone vertices of degree 3. Its bandwidth is 2. Choose the weight of an edge as 1/n if it is a backbone edge and as 1 otherwise. Every edge of weight 1 is a shortest path intersecting the ball of radius 1 around some fixed backbone vertex and hence $hd_2 \geq b = n/2 - 2$. This gives us the follows theorem.

▶ **Theorem 18.** The highway dimensions hd_1 and hd_2 are incomparable to the bandwidth and the minimum degree.

We would also like to relate the skeleton dimension to bandwidth and treewidth. On general graphs, it is easy to show, that the skeleton dimension is incomparable to the other two parameters. For instance, a star graph has treewidth 1 and linear skeleton dimension, whereas a complete graph has linear treewidth, but we can choose edge weights such that the shortest path tree of every vertex becomes a path which implies a constant skeleton dimension. However, by choosing such weights for the latter graph, most edges become useless as they do not represent a shortest path and removing all unnecessary edges produces a graph of low treewidth. Still, we can show, that even on metric graphs the skeleton dimension is incomparable to both bandwidth and treewidth.

▶ **Theorem 19.** On metric graphs the skeleton dimension and the bandwidth are incomparable.

Proof. Consider the complete caterpillar tree on b backbone vertices of degree 3. It has a bandwidth of 2. Set the weight of every backbone edge to 1 and pick an arbitrary backbone vertex v. For the remaining edges, choose edge weights such that all leaves have the same distance $d \ge 2$ from v. It follows that the skeleton dimension of the weighted caterpillar tree equals the number of leaves which is b + 2 = n/2 + 1.

The complete binary tree B_{2d+1} of depth 2d+1 has pathwidth d [14]. Choosing $\ell(\{u, v\}) = 3^{-j}$ for j and (j+1) being the depth of u and v in the tree, respectively, yields a graph of skeleton dimension at most 3.

▶ **Theorem 20.** On metric graphs the skeleton dimension and the treewidth are incomparable.

Proof. The star graph S_n on *n* vertices has treewidth 1 and skeleton dimension n-1.

We now construct a graph of treewidth $\Omega(\sqrt{n})$ and constant skeleton dimension. Consider a square grid graph G on the vertex set $V = \{v_1, \ldots, v_n\}$. Subdivide every edge $\{u, v\}$ by inserting two vertices x_{uv} and y_{uv} , i.e. replace the edge $\{u, v\}$ through a path $u x_{uv} y_{uv} v$. Connect the vertices v_1, \ldots, v_n through a path P and denote the resulting graph by G' = (V', E'). The original grid graph G has treewidth \sqrt{n} and is a minor of G'. Hence, G' has treewidth $\Omega(\sqrt{n})$.

¹ The edge weights chosen in [19] are actually $\ell(\{i, j\}) = 4^{\min(i, j)}$, which results in a non-metric graph. Removing all edges that are not a shortest path yields a star graph of treewidth 1.

4:10 Hierarchy of Transportation Network Parameters and Hardness Results

We now choose edges weights for G' resulting in a constant skeleton dimension. For every edge e that is part of the path P, let $\ell(e) = 1$. Consider an edge $\{u, v\}$ of G that was replaced by the path $u x_{uv} y_{uv} v$ and denote the shortest path distance between u and v on the path P by $\operatorname{dist}_P(u, v)$. We choose $\ell(\{u, x_{uv}\}) = \ell(\{y_{uv}, v\}) = 1$ and $\ell(\{x_{uv}, y_{uv}\}) = \operatorname{dist}_P(u, v) + \frac{1}{2}$. It is easy to verify that the resulting graph is metric.

To bound the skeleton dimension, we use the following claim: For every edge $\{u, v\}$ of G, neither of the shortest paths from u to x_{uv} or from v to y_{uv} contains the edge $\{x_{uv}, y_{uv}\}$. To prove the claim, observe that by concatenating the subpath of P between u and v and the edge $\{v, y_{uv}\}$, we obtain a path of length dist $_P(u, v) + 1$. Any path from u to y_{uv} containing the edge $\{x_{uv}, y_{uv}\}$ has length dist $_P(u, v) + 3/2$. The case of v and x_{uv} is symmetric.

It follows that in G' the shortest path tree of a vertex s cannot contain the edge $\{x_{uv}, y_{uv}\}$ unless $s \in \{x_{uv}, y_{uv}\}$, as any subpath of a shortest path must be a shortest path itself. Consider the shortest path tree T_s of some vertex $s \in V$. The previous claim implies that T_s is a caterpillar tree where P is the backbone path. Moreover, T_s ha maximum degree $\Delta \leq 6$ and all edges have unit length. Let r > 0 and consider the set Cut_s^r . For $r \leq 1$, the set Cut_s^r intersects only edges incident to s and hence $|\operatorname{Cut}_s^r| \leq 6$. For $1 < r \leq 2$, the set Cut_s^r intersects only edges incident to the two neighbors of s on P, which implies $|\operatorname{Cut}_s^r| \leq 10$. Finally, for r > 2 we have $|\operatorname{Cut}_s^r| \leq 2$ because for any vertex $v \notin \tilde{P}$, the distance to its furthest descendant is less than 1 < r/2 and hence, the set Cut_s^r intersects only edges from the path P. Similarly, it can be shown that $|\operatorname{Cut}_s^r| \leq 6$ if $s \notin V$ (i.e. $s = x_{uv}$ or $s = y_{uv}$). It follows that the skeleton dimension of G' is $\kappa \leq 10$.

So far, it was only known that there can be an exponential gap between skeleton and highway dimension [24]. However, we can use the graph G' from the previous proof to show that the skeleton dimension and the highway dimensions hd_1 and hd_2 are incomparable. Let $\{v^{1,1}, \ldots, v^{q,q}\}$ be the vertex set of the original grid graph and choose the path P used in the construction of G' as $v^{1,1} \ldots v^{1,q} v^{2,1} \ldots v^{2,q} \ldots v^{q,1} \ldots v^{q,q}$. In the resulting graph G', for $i \in \{1, \ldots, q\}$, the shortest path from $v_{1,i}$ to $v_{2,i}$ has length q and hence the edge $e_i = \{x_{v^{1,i},v^{2,i}}, y_{v^{1,i},v^{2,i}}\}$ has length $q + \frac{1}{2}$. As any edge of $\{e_1, \ldots, e_q\}$ intersects the ball around $v^{1,1}$ of radius 2q and no two of this edges share a common vertex, the highway dimension hd_2 of G' is at least $q = \sqrt{n}$. The star graph on n vertices with unit edge weights has a skeleton dimension of n-1 and a highway dimension hd_1 of 1, so we obtain the following corollary.

▶ Corollary 21. The skeleton dimension is incomparable to both highway dimensions hd_1 and hd_2 .

Finally it can be shown that the distance to linear forest dl is incomparable to the bandwidth bw, the skeleton dimension κ and the highway dimensions hd_1 and hd_2 . For instance, a caterpillar tree of constant maximum degree has a distance to linear forest of $\Omega(n)$, but constant bandwidth, skeleton dimension and highway dimensions (for suitably chosen edge weights), whereas there are star-like graphs for which $dl \in \mathcal{O}(1)$ and $bw, \kappa, hd_1, hd_2 \in \Omega(n)$.

▶ **Theorem 22.** The distance to linear forest is incomparable to the bandwidth, the skeleton dimension and the highway dimensions hd_1 and hd_2 .

Proof. We will use the fact that the caterpillar tree C_b on b backbone vertices of degree 3 has a distance to linear forest of b = n/2 - 1

Bandwidth. The caterpillar C_b has bandwidth 2. The star graph S_n on n vertices has a bandwidth of $\lfloor n/2 \rfloor$ and a distance to linear forest of 1.

Skeleton dimension. Consider the caterpillar C_b and choose the weight of an edge $\{u, v\}$ as 2 if u and v are both backbone vertices and as 1 otherwise. The skeleton T_s^* of any vertex s contains exactly one vertex of degree 3 (the backbone vertex that is closest to s) and no vertex of degree more than 3. Hence, the skeleton dimension is 3. The star graph S_n on n vertices with unit edge weights has a skeleton dimension of n-1 and a distance to linear forest of 1.

Highway dimensions. Consider the caterpillar C_b and choose the weight of an edge $\{u, v\}$ as 5 if u and v are both backbone vertices and as 1 otherwise. To bound the highway dimension hd_1 , consider some node v and let r > 0. Consider a maximum path $P \subseteq B_{4r}(v)$ containing only backbone vertices. It holds that $|P| \leq 8r$. We can greedily choose a set $S \subseteq P$ such that $|S| \leq 7$ and any subpath π of P of length $|\pi| \geq r - 2$ is hit by S. Consider a path $\pi' \subseteq B_{4r}(v)$ that is not hit by S. The path π' contains at most two edges of length 1 incident to a leaf and a subpath of P that has length less than r - 2. Hence, π' has length at most r. It follows that for any $v \in V$ and any r > 0 we can hit all shortest paths π satisfying $|\pi| > r$ and $\pi \subseteq B_{4r}(v)$ with at most 7 vertices, which means that $hd_1 \leq 7$.

Take a star graph with l leaves, subdivide every edge by inserting one vertex and choose the weight of every edge in the resulting graph as 1. We obtain a graph of distance to linear forest 1 and highway dimension $hd_2 = l$, as every edge incident to a leaf is a shortest path of length 1 intersecting the ball of radius 1 around the central vertex.

4 Hardness Results

In this section we show hardness for two problems in transportation networks. We first show that computing the highway dimension in NP-hard, even when using the most recent definition. Then we consider the k-CENTER problem and show that for any $\epsilon > 0$, computing a $(2 - \epsilon)$ -approximation is NP-hard on graphs of skeleton dimension $\mathcal{O}(\log^2 n)$.

4.1 Highway Dimension Computation

In [18] it was shown that computing the highway dimension hd_1 is NP-hard. The presented reduction is from VERTEX COVER and also works for hd_2 . It does not directly carry over to hd_3 as the constructed graph has maximum degree $\Delta = n - 1$ and we have $hd_3 \ge \Delta$. Still, using a slightly different reduction, we can show NP-hardness for the computation of hd_3 .

▶ Theorem 23. Computing the highway dimension hd₃ is NP-hard.

Proof. We present a reduction from VERTEX COVER on graphs with maximum degree $\Delta \leq 3$. Consider therefore a graph G = (V, E) on n nodes satisfying $\Delta \leq 3$. We construct a weighted graph G' = (V', E') as follows. Add a single node x and for any node $v \in V$, add a new node v^* and the edges $\{v, v^*\}$ and $\{v^*, x\}$. For an edge $e \in E'$ choose edge weight $\ell(e) = 5$ if e is incident to x and $\ell(e) = 1$ otherwise.

Let C be a minimum vertex cover of G. We may assume that $|C| > ((\Delta+1)^6 - 1)/\Delta \in \mathcal{O}(1)$ as for any constant c we can decide in polynomial time whether G has a minimum vertex cover of size c. We show that G' has highway dimension $hd_3 = |C| + n + 1$. Observe that hd_3 is still linear in n, but it may vary between n + 1 and 2n, depending on |C|.

Let 0 < r < 5/2. Consider a node $u \in V'$. Let N be the closed neighborhood of the ball around u of radius 2r, i.e. $v \in N$ iff $v \in B_{2r}(u)$ or v is adjacent to a node $w \in B_{2r}(u)$. Clearly, N is a hitting set for all shortest paths that are (r, 2r)-close to u. For $u \neq x$, the ball $B_{2r}(u)$ contains at most $\sum_{i=0}^{4} (\Delta + 1)^i$ nodes, as 2r < 5. Moreover, every node in $B_{2r}(u)$ has at most $\Delta + 1$ neighbors. Hence, N is a hitting set of size $\sum_{i=0}^{5} (\Delta + 1)^i = ((\Delta + 1)^6 - 1)/\Delta$

4:12 Hierarchy of Transportation Network Parameters and Hardness Results

for all shortest paths that are (r, 2r)-close to u. For u = x, we have $N = V' \setminus V$ and therefore |N| = n + 1.

Let r = 5/2. The ball around x of radius 2r = 5 is $B_{2r}(x) = V' \setminus V$. Any edge $\{u, v\} \in E$ is (r, 2r)-close to x, as $u^* u v v^*$ is an r-witness. Moreover, any node $u \in V' \setminus V$ is a shortest path that is (r, 2r)-close to x. However, a single node $u \in V$ is not r-significant, as it can only be extended to a witness of length 2 < r. Hence, a shortest path π is (r, 2r)-close to x iff and only if $\pi \in E$ or $\pi \in V' \setminus V$. Consider a smallest hitting set $H \subseteq V$ for all shortest paths that are (r, 2r)-close to x. We have $(V' \setminus V) \subseteq H$, we H needs to hit all paths that consist of one single node $v \in V' \setminus V$. Moreover, H needs to hit all edges E. In other words, H consists of $V' \setminus V$ and a vertex cover for G. Hence, the hitting set H has size $|V' \setminus V| + |C| = |C| + n + 1$.

Observe that for r = 5/2, any r-significant shortest path in G' is (r, 2r)-close to x, as any node of G' has a neighbor contained in $B_{2r}(x)$. Hence, for any node $u \in V'$, there is a hitting set for all shortest paths that are (r, 2r)-close to u of size at most |C| + n + 1. Moreover, for any node u and any r > 5/2, a shortest path can only be (r, 2r)-close to u, if it is also (5/2, 5)-close to u. Hence, for any $u \in V'$ and any r > 5/2, for all shortest paths that are (r, 2r)-close to u there is a hitting set of size at most |C| + n + 1.

We conclude that the highway dimension of G' is $hd_3 = |C| + n + 1$ if and only if G has a minimum vertex cover of size |C|.

4.2 Hardness of Approximating k-Center

In the k-CENTER problem, we are given a graph G = (V, E) with positive edge weights and the goal is to select k center nodes $C \subseteq V$ while minimizing $\max_{u \in V} \min_{v \in C} \operatorname{dist}(u, v)$, that is the maximum distance from any node to the closest center node. A possible scenario is that one wants to place a limited number of hospitals on a map such that the maximum distance from any point to the closest hospital is minimized.

We will prove that computing a $(2 - \epsilon)$ -approximation on graphs with low skeleton dimension is NP-hard. For that purpose, we first show the following lemma, which is a non-trivial extension of a result of Feldmann [17]. The aspect ratio of a metric (X, dist_X) is the ratio of the maximum distance between any pair of vertices in X and the minimum distance.

▶ Lemma 24. Let $(X, \operatorname{dist}_X)$ be a metric of constant doubling dimension d and aspect ratio α . For any $0 < \epsilon < 1$ it is possible to compute a graph G = (X, E) in polynomial time that has the following properties:

- (a) for all $u, v \in X$ we have $\operatorname{dist}_X(u, v) \leq \operatorname{dist}_G(u, v) \leq (1 + \epsilon) \operatorname{dist}_X(u, v)$,
- (b) the graph G has highway dimension $hd_2 \in \mathcal{O}((\log(\alpha)/\epsilon)^d)$, and
- (c) the graph G has skeleton dimension $\kappa \in \mathcal{O}((\log(\alpha)/\epsilon)^d)$,

Proof (Sketch). In [17] it was shown, how to compute a graph H that satisfies properties a and b. This was done by choosing so called *hub sets* $Y_i \subseteq X$ for $i = 0, \ldots, \lceil \log_2 \alpha \rceil$ such that in H any shortest path in the range $(2^i, 2^{i+1}]$ contains some node from Y_i . The hub sets form a hierarchy, i.e. $Y_i \supseteq Y_j$ for all i < j. The computed graph has $\binom{|X|}{2}$ edges and the weight of every edge $\{u, v\}$ depends on the hub sets containing u and v. However, we can show that many of these edges are not a shortest path and can be removed. Using properties of the hub sets Y_i and the fact that the metric has doubling dimension d and aspect ratio α , a thorough investigation yields that the skeleton dimension of the resulting graph is bounded by $\mathcal{O}((\log(\alpha)/\epsilon)^d)$.

Feldmann [17] observed that due to a result of Feder and Greene [16], it is NP-hard for any $\epsilon > 0$ to compute a $(2 - \epsilon)$ -approximation for k-Center on graphs of doubling dimension

4 and aspect ratio at most n. Lemma 24 hence implies that it is NP-hard to compute a $(2 - \epsilon)$ -approximation if the skeleton dimension is in $\mathcal{O}(\log^2 n)$. It remains open whether this also holds for $\kappa \in o(\log^2 n)$ and in particular for constant skeleton dimension.

It was also shown, that under the exponential time hypothesis (ETH) it is not possible to compute a $(2 - \epsilon)$ -approximation for k-Center on graphs of highway dimension hd_2 in time $2^{2^{o(\sqrt{hd_2})}} \cdot n^{\mathcal{O}(1)}$ [17]. Analogously, Lemma 24 implies a bound of $2^{2^{o(\sqrt{\kappa})}} \cdot n^{\mathcal{O}(1)}$ for skeleton dimension κ . We summarize our findings in the following theorem.

▶ **Theorem 25.** For any $\epsilon > 0$, it is NP-hard to compute a $(2 - \epsilon)$ -approximation for the k-Center problem on graphs of skeleton dimension $\kappa \in \mathcal{O}(\log^2 n)$. Assuming ETH there is no $2^{2^{o(\sqrt{\kappa})}} \cdot n^{\mathcal{O}(1)}$ time algorithm that computes a $(2 - \epsilon)$ -approximation.

5 Conclusion and Future Work

We showed that the skeleton dimension, the highway dimension (when defined as in [3] or [2]) and several other graph parameters are pairwise incomparable. Nevertheless, the skeleton dimension is upper bounded by the max leaf number and lower bounded through the maximum degree and the doubling dimension.

However, for the highway dimensions hd_1 and hd_2 there are still no tight upper or lower bounds. Using a grid graph and a complete graph, it can be shown that they are not even comparable to the minimum degree or the maximum clique size, which are lower bounds for a large number of graph parameters. Bauer et al. showed, that for any unweighted graph there are edge weights such that $hd_2 \ge (pw-1)/(\log_{3/2}|V|+2)$ where pw is the pathwidth [9]. It remains open whether this bound is tight.

It turned out that computing the highway dimension is NP-hard for all three different definitions used in the literature. Still, knowing the highway dimension of real-world networks will give further insight in the structure of transportation networks and hence it is worthwhile to study whether there are FPT algorithms to compute the highway dimension and to what extent it can be approximated.

We proved that on graphs of skeleton dimension $\mathcal{O}(\log^2 n)$ it is not possible to beat the well-known 2-approximation algorithm by Hochbaum and Shmoys for k-CENTER. Yet, the experimental results reported in [11] indicate that the skeleton dimension of real-world networks might actually be a constant independent of the size of the network. This raises the question whether there is a $(2 - \epsilon)$ -approximation algorithm for graphs of constant skeleton dimension.

— References

- Ittai Abraham, Daniel Delling, Amos Fiat, Andrew V. Goldberg, and Renato F. Werneck. Highway Dimension and Provably Efficient Shortest Path Algorithms. J. ACM, 63(5):41:1– 41:26, 2016. doi:10.1145/2985473.
- 2 Ittai Abraham, Daniel Delling, Amos Fiat, Andrew V. Goldberg, and Renato Fonseca F. Werneck. VC-Dimension and Shortest Path Algorithms. In *Proceedings of the 38th International Colloquium on Automata, Languages and Programming (ICALP)*, pages 690–699, 2011. doi: 10.1007/978-3-642-22006-7_58.
- 3 Ittai Abraham, Amos Fiat, Andrew V. Goldberg, and Renato Fonseca F. Werneck. Highway Dimension, Shortest Paths, and Provably Efficient Algorithms. In Proceedings of the 21st Annual ACM-SIAM Symposium on Discrete Algorithms, (SODA), pages 782–793, 2010. doi: 10.1137/1.9781611973075.64.

4:14 Hierarchy of Transportation Network Parameters and Hardness Results

- 4 Stefan Arnborg. Efficient Algorithms for Combinatorial Problems with Bounded Decomposability - A Survey. BIT, 25(1):2–23, 1985.
- 5 Sanjeev Arora. Polynomial Time Approximation Schemes for Euclidean Traveling Salesman and other Geometric Problems. J. ACM, 45(5):753–782, 1998. doi:10.1145/290179.290180.
- 6 Yair Bartal, Lee-Ad Gottlieb, and Robert Krauthgamer. The Traveling Salesman Problem: Low-Dimensionality Implies a Polynomial Time Approximation Scheme. SIAM J. Comput., 45(4):1563–1581, 2016. doi:10.1137/130913328.
- 7 H. Bast, Stefan Funke, and Domagoj Matijevic. Ultrafast Shortest-Path Queries via Transit Nodes. In The Shortest Path Problem, Proceedings of a DIMACS Workshop, volume 74 of DIMACS Series in Discrete Mathematics and Theoretical Computer Science, pages 175–192. DIMACS/AMS, 2006. doi:10.1090/dimacs/074/07.
- 8 H. Bast, Stefan Funke, Domagoj Matijevic, Peter Sanders, and Dominik Schultes. In Transit to Constant Time Shortest-Path Queries in Road Networks. In Proceedings of the 9th Workshop on Algorithm Engineering and Experiments (ALENEX). SIAM, 2007. doi:10.1137/ 1.9781611972870.5.
- Reinhard Bauer, Tobias Columbus, Ignaz Rutter, and Dorothea Wagner. Search-space size in contraction hierarchies. *Theor. Comput. Sci.*, 645:112–127, 2016. doi:10.1016/j.tcs.2016.07.003.
- 10 Amariah Becker, Philip N. Klein, and David Saulpic. Polynomial-Time Approximation Schemes for k-center, k-median, and Capacitated Vehicle Routing in Bounded Highway Dimension. In Yossi Azar, Hannah Bast, and Grzegorz Herman, editors, *Proceedings of the 26th Annual European Symposium on Algorithms (ESA)*, volume 112 of *LIPIcs*, pages 8:1–8:15. Schloss Dagstuhl Leibniz-Zentrum fuer Informatik, 2018. doi:10.4230/LIPIcs.ESA.2018.8.
- 11 Johannes Blum and Sabine Storandt. Computation and Growth of Road Network Dimensions. In Lusheng Wang and Daming Zhu, editors, *Proceedings of the 24th International Computing* and Combinatorics Conference (COCOON), volume 10976 of Lecture Notes in Computer Science, pages 230–241. Springer, 2018. doi:10.1007/978-3-319-94776-1_20.
- 12 Hans L. Bodlaender. Dynamic Programming on Graphs with Bounded Treewidth. In Timo Lepistö and Arto Salomaa, editors, Proceedings of the 15th International Colloquium on Automata, Languages and Programming (ICALP), volume 317 of Lecture Notes in Computer Science, pages 105–118. Springer, 1988. doi:10.1007/3-540-19488-6_110.
- 13 Hans L. Bodlaender. A Partial k-Arboretum of Graphs with Bounded Treewidth. Theor. Comput. Sci., 209(1-2):1–45, 1998. doi:10.1016/S0304-3975(97)00228-4.
- 14 Kevin Cattell, Michael J. Dinneen, and Michael R. Fellows. A Simple Linear-Time Algorithm for Finding Path-Decompositions of Small Width. Inf. Process. Lett., 57(4):197–203, 1996. doi:10.1016/0020-0190(95)00190-5.
- 15 Ermelinda DeLaViña and Bill Waller. A note on a conjecture of Hansen et al. Unpublished manuscript, 2009. URL: http://cms.dt.uh.edu/faculty/delavinae/research/ DelavinaWaller2009.pdf.
- 16 Tomás Feder and Daniel H. Greene. Optimal Algorithms for Approximate Clustering. In Janos Simon, editor, Proceedings of the 20th Annual ACM Symposium on Theory of Computing (STOC), pages 434–444. ACM, 1988. doi:10.1145/62212.62255.
- 17 Andreas Emil Feldmann. Fixed-Parameter Approximations for k-Center Problems in Low Highway Dimension Graphs. Algorithmica, 81(3):1031–1052, 2019. doi:10.1007/ s00453-018-0455-0.
- 18 Andreas Emil Feldmann, Wai Shing Fung, Jochen Könemann, and Ian Post. A $(1 + \epsilon)$ -Embedding of Low Highway Dimension Graphs into Bounded Treewidth Graphs. *CoRR*, abs/1502.04588, 2015. arXiv:1502.04588.
- **19** Andreas Emil Feldmann, Wai Shing Fung, Jochen Könemann, and Ian Post. A $(1+\epsilon)$ -Embedding of Low Highway Dimension Graphs into Bounded Treewidth Graphs. *SIAM J. Comput.*, 47(4):1667–1704, 2018. doi:10.1137/16M1067196.

- 20 Andreas Emil Feldmann and Dániel Marx. The Parameterized Hardness of the k-Center Problem in Transportation Networks. In David Eppstein, editor, Proceedings of the 16th Scandinavian Symposium and Workshops on Algorithm Theory (SWAT), volume 101 of LIPIcs, pages 19:1–19:13. Schloss Dagstuhl - Leibniz-Zentrum fuer Informatik, 2018. doi:10.4230/ LIPIcs.SWAT.2018.19.
- 21 Lee-Ad Gottlieb and Robert Krauthgamer. Proximity Algorithms for Nearly Doubling Spaces. SIAM J. Discrete Math., 27(4):1759–1769, 2013. doi:10.1137/120874242.
- 22 Dorit S. Hochbaum and David B. Shmoys. A unified approach to approximation algorithms for bottleneck problems. J. ACM, 33(3):533-550, 1986. doi:10.1145/5925.5933.
- 23 Haim Kaplan and Ron Shamir. Pathwidth, Bandwidth, and Completion Problems to Proper Interval Graphs with Small Cliques. SIAM J. Comput., 25(3):540–561, 1996. doi:10.1137/ S0097539793258143.
- 24 Adrian Kosowski and Laurent Viennot. Beyond Highway Dimension: Small Distance Labels Using Tree Skeletons. In Proceedings of the 28th Annual ACM-SIAM Symposium on Discrete Algorithms (SODA), pages 1462–1478. SIAM, 2017.
- 25 Jan Plesník. On the computational complexity of centers locating in a graph. Aplikace matematiky, 25(6):445-452, 1980. URL: https://dml.cz/bitstream/handle/10338.dmlcz/ 103883/AplMat_25-1980-6_8.pdf.
- 26 Manuel Sorge, Matthias Weller, Florent Foucaud, Ondřej Suchý, Pascal Ochem, Martin Vatshelle, and Gerhard J. Woeginger. The Graph Parameter Hierarchy. Unpublished manuscript, 2019. URL: https://manyu.pro/assets/parameter-hierarchy.pdf.
- 27 Kunal Talwar. Bypassing the embedding: algorithms for low dimensional metrics. In László Babai, editor, Proceedings of the 36th Annual ACM Symposium on Theory of Computing (SODA), pages 281–290. ACM, 2004. doi:10.1145/1007352.1007399.
- 28 Vijay V. Vazirani. Approximation algorithms. Springer, 2001. URL: http://www.springer. com/computer/theoretical+computer+science/book/978-3-540-65367-7.